

## STANDARD DRYFILTER BOOTHS WITH CANOPY 1 METRE DEEP

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
1000B	1	3500	24	1197.60	334.80	130.80
1500B	1.5	5000	24	1438.80	334.80	165.60
2000B	2	7000	24	1546.80	356.40	200.40
2500B	2.5	8000	24	1677.60	356.40	235.20
3000B	3	10600	24	1750.80	520.80	270.00
3500B	3.5	11000	28	1978.80	520.80	304.80
4000B – (1 FAN)	4	14000	28	2217.60	522.00	339.60
4000B – (1 FAN)	4	14000	24	2744.40	712.80	339.60
4500B – (2 FAN)	4.5	14000	24	2961.60	712.80	374.40
5000B – (2 FAN)	5	16000	24	3055.20	712.80	409.20
5500B – (2 FAN)	5.5	16000	24	3116.40	712.80	444.00
6000B – (2 FAN)	6	21200	24	3160.80	1042.80	478.80
6500B – (2 FAN)	6.5	21200	24	3453.60	1042.80	513.60
7000B – (2 FAN)	7	22000	28	3792.00	1042.80	548.40
8000B – (2 FAN)	8	28000	28	3991.20	1344.00	583.20
9000B – (3 FAN)	9	31800	24	4796.40	1562.40	618.00

*Larger sizes on request*

## DRYFILTER EXPANSION CHAMBER EXTRACT UNITS 2 METRE HIGH

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
1000E	1	3500	24	1087.20	334.80	
1500E	1.5	5000	24	1291.20	334.80	
2000E	2	7000	24	1360.80	356.40	
2500E	2.5	8000	24	1467.60	356.40	
3000E	3	10600	24	1509.60	520.80	
3500E	3.5	11000	28	1736.40	520.80	
4000E – (1 FAN)	4	14000	28	1917.60	522.00	
4000E – (1 FAN)	4	14000	24	2444.40	712.80	
4500E – (2 FAN)	4.5	14000	24	2722.80	712.80	
5000E – (2 FAN)	5	16000	24	2853.60	712.80	
5500E – (2 FAN)	5.5	16000	24	2878.80	712.80	
6000E – (2 FAN)	6	21200	24	2937.60	1042.80	
6500E – (2 FAN)	6.5	21200	24	3087.60	1042.80	
7000E – (2 FAN)	7	22000	28	3226.80	1042.80	
8000E – (2 FAN)	8	28000	28	3441.60	1344.00	
9000E – (3 FAN)	9	31800	24	4195.20	1562.40	

*Larger sizes on request*

## OPTIONAL EXTRAS

Sealed glass insert for roof	-	1525mm long x 345mm wide	Price (£)
Sealed glass insert for side	-	1525mm long with support bracket	84.00
Twin 5ft Non-Flameproof Fluorescent light c/w Reflector			132.00
Single 5ft Flameproof Fluorescent light			45.60
Centre Divider panel	-	200mm x 960mm Slider rail	357.60
			116.40

All booths are supplied in kit form, complete with belt driven Fan(s), Motor(s), Pack of Filters, and All Nuts/Bolts etc. And Starters. All Starter(s) are IP55. Ducting and installation available at extra cost

## LOW AND HIGH LEVEL DRYFILTER EXTRACTION BOXES AND BENCH TYPE BOOTHS

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
1000E IT	1	1600	24	816.00	334.80	
1500E IT	1.5	2500	24	970.80	334.80	
2000E IT	2	3500	24	1029.60	334.80	
2500E IT	2.5	5000	24	1102.80	334.80	
3000E IT	3	5000	24	1137.60	334.80	
3500E IT	3.5	5000	28	1254.00	334.80	
4000E IT–(1 FAN)	4	7000	24	1437.60	356.40	
4500E IT–(2 FAN)	4.5	7000	24	2036.40	669.60	
5000E IT–(2 FAN)	5	10000	24	2140.80	669.60	
5500E IT–(2 FAN)	5.5	10000	24	2158.80	669.60	
6000E IT–(2 FAN)	6	10000	24	2217.60	669.60	

*Larger sizes on request – Low level extraction boxes. (1 Metre High O/All)*

## EXTENDED HEIGHT EXTRACTION BOXES/BOOTHS.

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
1000E IT	1	5000	24	1354.80	334.80	217.20
1500E IT	1.5	8000	24	1557.60	356.40	252.00
2000E IT	2	10600	24	1678.80	520.80	286.80
2500E IT	2.5	11000	24	1857.60	520.80	321.60
3000E IT	3	14400	24	1916.40	522.00	356.40
3500E IT	3.5	16600	28	2097.60	672.00	391.20
4000E IT–(1 FAN)	4	21200	24	2996.40	1041.60	426.00
4500E IT–(2 FAN)	4.5	21200	24	3315.60	1041.60	460.80
5000E IT–(2 FAN)	5	22000	24	3476.40	1041.60	495.60
5500E IT–(2 FAN)	5.5	22000	24	3597.60	1041.60	530.40
6000E IT–(2 FAN)	6	28800	24	3682.80	1044.00	565.20

*Larger sizes on request – (3 Metre High O/All)*

## BENCH TYPE DRYFILTER BOOTHS

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
BT1000	1	1500	18	1197.60	334.80	
BT1500	1.5	2500	18	1438.80	334.80	
BT2000	2	3000	24	1546.80	334.80	
BT2500	2.5	3500	24	1677.60	334.80	
BT3000	3	4000	24	1750.80	334.80	
BT3500	3.5	4500	24	1857.60	334.80	
BT4000	4	5000	24	2036.40	334.80	

*Booths with a work area 1 Metre High x 1 Metre Deep with a Robust steel work-bench. All complete with a glass roof panel.*

### STANDARD 'BUDGET' MODEL + CANOPY

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
NWB 1000	1	5000	24	3128.40	864.00	130.80
NWB 2000	2	10600	24	3598.80	1044.00	200.40
NWB 3000	3	14400	28	4347.60	1045.20	270.00
NWB 4000 (1 FAN)	4	15500	28	5202.00	1545.60	339.60
NWB 4000 (2 FAN)	4	16000	24	5449.20	1586.40	339.60
NWB 5000 (2 FAN)	5	21200	24	6345.60	1916.40	409.20
NWB 6000 (2 FAN)	6	28800	28	7196.40	1920.00	478.80

*2 Metre High x 1 Metre Deep*

### STANDARD 'BUDGET' MODEL AS WASH TOWER ONLY NO CANOPY

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
NWB 1000	1	5000	24	2997.60	864.00	
NWB 2000	2	10600	24	3398.40	1044.00	
NWB 3000	3	14400	28	4077.60	1045.20	
NWB 4000 (1 FAN)	4	15500	28	4862.40	1545.60	
NWB 4000 (2 FAN)	4	16000	24	5109.60	1586.40	
NWB 5000 (2 FAN)	5	21200	24	5936.40	1916.40	
NWB 6000 (2 FAN)	6	28800	28	6789.60	1920.00	

*Longer lengths can be achieved by adding suitable combinations of size*

All above NWB models are available with a 2.5 metre high canopy (Wash Tower remains the same) at nominal cost

### OPTIONAL EXTRAS

Sealed glass insert for roof	-	1525mm long x 345mm wide	Price (£)
Sealed glass insert for side	-	1525mm long with support bracket	84.00
Twin 5ft Non-Flameproof Fluorescent light c/w Reflector			132.00
Single 5ft Flameproof Fluorescent light			45.60
Centre Divider panel	-	200mm x 960mm Slider rail	357.60
			116.00

Water-wash Spray-booths are supplied complete with belt driven Fan(s), Motor(s) Centrifugal Pump & Strainer, Stainless Steel Front Screen, And Starters. All Starter(s) are IP55. Pack of Chemicals and ball Cock Filter. All models (Except when Pre-Assembled) Include Pack of sealant and assembly kit. Ducting & Installation available as extras

## EXTRA HEIGHT WATERWASH WASH TOWERS WITH EXTRA HIGH WATER CURTAINS AND A CHOICE OF 2.5 OR 2 METRE HIGH CANOPY

Model	Width (metres)	Output (cfm)	Duct Size (")	Price – Standard Motor (£)	Flameproof Motor – Extra (£)	1 Metre deep Canopy – Extra (£)
NWE 2000	2	11000		3836.40	1044.00	286.80
NWE 3000	3	14400		4617.60	1045.20	356.40
NWE 4000 (1 FAN)	4	22000		5829.60	1916.40	426.00
NWE 5000 (2 FAN)	5	28800		6836.40	1920.00	495.60
NWE 6000 (2 FAN)	6	28800		7869.60	1920.00	565.20
<i>Taller models on request</i>						

### TOP AND BOTTOM EXTRACTION

Waterwash Spraybooths (Models NWE/NWB and EH Models are now available with added extraction above the curtain as well as below the curtain. This is at a Standard cost of £250 per linear metre of Booth

### DOWNDRAUGHT EXTRACTION

Several types of downdraught booths are available, details and prices on application

### UPRATED EXTRACTION

Special versions to provide upto 390ft/min are available, details and prices on application.

### PRE-ASSEMBLY

Waterwash Booths are available supplied with the wash tower pre-assembled and with the pump fitted; only the fan and canopy would need to be fitted on site. This is ideal where the customer may wish to carry out their own installation work to reduce costs.

#### **Models**

NWE/B/EH	1000/2000	£480.00
NWE/B/EH	3000/4000	£600.00
NWE/B/EH	5000/6000	£864.00

Please check that these models could be off-loaded and positioned on site once assembled.

## ACCESSORIES

### FAN SILENCERS

These efficient noise attenuators may be fitted before or after fans to reduce environmental or workshop noise or both.

Model	Diameter (")	Length (")	Typical Noise Reduction (dBA)	Price (£)
SILE 24D24L	24	24	10	194.40
SILE 24D48L	24	48	15	322.80
SILE 28D28L	28	28	8	220.80
SILE 24D56L	28	56	12	424.80

### CONSUMABLE ITEMS

Peel-able Booth Coating in white. 25 Litres	£60.00
'Andrea; Corrugated paper filter. 9 metres x 0.9 metres	£54.12
Roll glass fibre media 20 metres long x 1 metre wide	£66.00
Gramasol 32 booth additive. 50Kg	£96.00
Aquarite C Booth Additive. 25Kg	£60.00
Autoboath HD Booth Additive 0.25Kg	£74.40
Autosol Foam Suppressant. 25 Litres	£60.00
Book Litmus Paper	£1.20
Pump Strainer (New Style) For water-wash Booths	£115.20
Pump Seal Kit (Most Models)	£72.00
Brass Spray Nozzle all Models	£14.40
Fan Impellor (Most Models)	£300.00
High Efficiency Andrea Paper/Polyester 4.5 Metre x 0.9 Metres	£54.12

### BELT DRIVEN AXIAL FLOW FANS

IMPORTANT: All other extraction booths Etc. In this price list are supplied complete with fan(s). These prices are for customers who only require the fan unit.

Model	Size (")	Output (cfm)		Motor (Kw)	Price (£)	
		0.7" W.G.	1.2" W.G.		Standard	Flameproof – Extra
BDA 3500	24	3500	-	0.75	494.40	334.80
BDA 5000	24	5000	-	1.1	504.00	334.80
BDA 7000	24	7000	-	1.5	519.60	356.40
BDA 8000	24	8000	8750	1.5	519.60	356.40
BDA 10600	24	10600	9750	3	542.40	520.80
BDA 11000	28	11000	10000	3	680.40	520.80
BDA 14400	28	14400	13500	4	752.40	522.00
BDA 15500	28	15500	14000	5.5	876.00	672.00

## DUCTWORK

Replace 'X' in part no. With duct size when ordering

Description	Part No	Price (£) Dia	
		24"	28"
Straight Duct 3 Metres	3mDuctxd	72.00	84.00
90° Bend	90bendxd	60.00	108.00
45° Bend	45bendxd	72.00	120.00
Thru-Wall Duct with Mesh	Duct/meshxd	108.00	120.00
Cowl	Cowlxd	108.00	150.00
Adjustable Roof Plate	Roofplatex	96.00	96.00
Weather Skirt	Skirtxd	99.60	120.00
Pair Gallows Brackets	Gallb	60.00	60.00
Pair Clips	Clipx	36.00	36.00
Set Guy Wire	Guy	60.00	60.00
Coupling Ring	ringx	18.00	18.00

## TYPICAL DUCTING ARRANGEMENTS

